

WHAT IS CLAIMED IS:

1. A securing clip for securing a first panel member with a second panel member, comprising:

5 a first fitting portion having the U-character shape for fitting a holed end portion of the first panel member; and  
a second fitting portion having the U-character shape for fitting a holed end portion of the second panel member, wherein:

10 the securing clip being like the S-character in cross section; and

each of the first fitting portion and the second fitting portion is formed with an engaging pawl engaging a hole at the end portion of the corresponding panel member on an inner wall  
15 face of its own, and the second fitting portion is formed with an engagement wall engaging a regulation wall provided on the second panel member.

2. The securing clip according to claim 1, wherein  
20 the engagement wall exists in bilateral symmetry around the hole at the end portion of the second panel member.

3. The securing clip according to claim 1, wherein  
an engagement face of the engagement wall engaging the  
25 regulation wall is inclined with respect to a central axis of

the hole at the end portion of the second panel member.

4. The securing clip according to claim 2, wherein  
an engagement face of the engagement wall engaging the regulation  
5 wall is inclined with respect to a central axis of the hole  
at the end portion of the second panel member.

5. The securing clip according to claim 1, further  
comprising  
10 a detachment grip portion for detaching the securing clip  
from the second panel member.

6. The securing clip according to claim 2, further  
comprising  
15 a detachment grip portion for detaching the securing clip from  
the second panel member.

7. The securing clip according to claim 3, further  
comprising  
20 a detachment grip portion for detaching the securing clip from  
the second panel member.

8. The securing clip according to claim 1, wherein  
a rib wall is protruded on an inner wall face of the second  
25 fitting portion.

9. The securing clip according to claim 2, wherein a rib wall is protruded on an inner wall face of the second fitting portion.

5

10. The securing clip according to claim 3, wherein a rib wall is protruded on an inner wall face of the second fitting portion.

10

11. The securing clip according to claim 4, wherein a rib wall is protruded on an inner wall face of the second fitting portion.